





GROOVE
HINGES
RWE





GROOVE HINGES RWE - 2 WING



GROOVE HINGES RWE - 3 WING



- | | |
|---------------|--------------|
| | |
| 7016 | 7021 |
| | |
| 7024 | 9005 |
| | |
| 8077 | 8019 |
| | |
| 8017 | 8003 |
| | |
| 9001 | 1036W |
| | |
| 9010 | 9016 |
| | |
| 7035 | 9006 |
| | |
| ANODE NATURAL | INOX COATING |
| | |
| RAL | |






ASSEMBLY ELEMENTS
OF A DOOR FRAME



ASSEMBLY ELEMENTS
OF A DOOR SASH








ASSEMBLY ELEMENTS
OF A DOOR FRAME













ASSEMBLY ELEMENTS
OF A DOOR SASH







LOAD SELECTION GROOVE HINGES SWW







If the distance between hinges in the middle of a door exceeds 1500mm, we suggest using additional hinge which caulks the door.







	Private building		Public building		Door closer		2-wing		3-wing
---	------------------	---	-----------------	--	-------------	---	--------	---	--------







 2x 	W S	800	900	1000	1100	1200	
	 	2000	50	45	40	35	30
	2100	55	50	45	40	35	
	2200	60	55	50	45	40	
	2300		60	55	50	45	
	2400			60	55	50	
	2500				60	55	







 3x 	 2x 	W S	800	900	1000	1100	1200	
		 	2000	72	65	59	52	46
		2100	78	72	65	59	52	
		2200	85	78	72	65	59	
		2300		85	78	72	65	
		2400			85	78	72	
		2500				85	78	







 3x 	 	W S	800	900	1000	1100	1200	
		 	2000	89	82	74	66	58
		2100	97	89	82	74	66	
		2200	105	97	89	82	74	
		2300		105	97	89	82	
		2400			105	97	89	
		2500				105	97	







 4x 	 	W S	800	900	1000	1100	1200	
		 	2000	106	97	88	78	69
		2100	116	106	97	88	78	
		2200	125	116	106	97	88	
		2300		125	116	106	97	
		2400			125	116	106	
		2500				125	116	







 2x 	 	W S	800	900	1000	1100	1200	
		 	2000	60	55	50	45	40
		2100	65	60	55	50	45	
		2200	70	65	60	55	50	
		2300		70	65	60	55	
		2400			70	65	60	
		2500				70	65	







 3x 	 2x 	W S	800	900	1000	1100	1200	
		 	2000	82	75	69	62	56
		2100	88	82	75	69	62	
		2200	95	88	82	75	69	
		2300		95	88	82	75	
		2400			95	88	82	
		2500				95	88	







 3x 	 	W S	800	900	1000	1100	1200	
		 	2000	99	92	84	76	68
		2100	107	99	92	84	76	
		2200	115	107	99	92	84	
		2300		115	107	99	92	
		2400			115	107	99	
		2500				115	107	

 4x 	 	W S	800	900	1000	1100	1200	
		 	2000	116	107	98	88	79
		2100	126	116	107	98	88	
		2200	135	126	116	107	98	
		2300		135	126	116	107	
		2400			135	126	116	
		2500				135	126	

 2x 	 	W S	800	900	1000	1100	1200	
		 	2000	70	65	60	55	50
		2100	75	70	65	60	55	
		2200	80	75	70	65	60	
		2300		80	75	70	65	
		2400			80	75	70	
		2500				80	75	

 3x 	 2x 	W S	800	900	1000	1100	1200	
		 	2000	92	85	79	72	66
		2100	98	92	85	79	72	
		2200	105	98	92	85	79	
		2300		105	98	92	85	
		2400			105	98	92	
		2500				105	98	




 3x 	 	W S	800	900	1000	1100	1200	
		 	2000	109	102	94	86	78
		2100	117	109	102	94	86	
		2200	125	117	109	102	94	
		2300		125	117	109	102	
		2400			125	117	109	
		2500				125	117	

 4x 	 	W S	800	900	1000	1100	1200	
		 	2000	131	122	113	103	94
		2100	141	131	122	113	103	
		2200	150	141	131	122	113	
		2300		150	141	131	122	
		2400			150	141	131	
		2500				150	141	




ADJUSTMENT FOR GROOVE HINGES RWE

RWE is suitable for aluminium euro groove systems with the door frame of the width 14mm and the door leaf of the width 15mm



Sealing pressure adjustment

Left / right adjustment
 $\pm 1,8$ mm,




Height adjustment
any in groove



HEIGHT REGULATOR RWE

Height regulator RWE eases the door height adjustment and protects doors against falling if the assembly screws are loosened for adjustment. Made of cast zinc alloy, screws are made of stainless steel.



Height adjustment





WALA Sp. z o.o.
ul. Parkowa 16
43-365 Wilkowice

wala@wala.pl
tel. +48 33 82 72 390
kom. +48 725 70 80 30
www.wala.pl

